




OUR
INDUSTRIAL
ADHESIVE RANGE

Tensorgrip[®]



WHAT IS TENSORGRIP®?

Global leader in canister adhesive systems. Passionately creating success with simplified innovative technology.

As far as spray adhesives are concerned, no other product can compare to the strength, tenacity and reliability of Tensorgrip®. Available in canisters as well as aerosols, our innovative formula breaks down barriers presented by time-consuming traditional bonding methods with ease.

Four major things really set Tensorgrip® apart from all other adhesive brands:

Unique range of adhesives

From 100% non-flammable contact adhesives that outperform without compromising time advantages (see P302) to the world's first cross-linking contacts that change form when cured to develop a highly resistant thermoset bond. These same adhesives are also resistant to plasticizer migration, making them safe for vinyl and rubber bonding (see P809).

Simplified Labeling System

To make adhesives easier to choose and identify, the gurus of Tensor developed a simple icon-based system of identification so that there's no reason to be using the wrong adhesive!

CO-REZ Technology



CO-REZ™

Select Tensorgrip® products feature advanced CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. MORE GLUE—LESS GAS! The result: greater coverage from the same container.

Zero-FLAM Technology



**ZERO-FLAM
TECHNOLOGY.**

Select Tensorgrip® products feature an easy way to prevent any canister related mishaps... ZERO-FLAM technology. Thanks to its unique propellant system of non-flammable gases, you'll benefit from a 100% non-flammable canister adhesive system. In addition, you'll love the unparalleled spray performance, which is only available by utilizing the exceptional ZERO-FLAM technology. ZERO-FLAM technology has been independently tested and proven to exceed all industry standards for flame projection control performance.



OUR INDUSTRIAL ADHESIVE RANGE

WHAT SIZES OF TENSORGRIP® ARE AVAILABLE?



Aerosol - 650 ML (22 FL OZ)

This convenient aerosol is great for small applications or for less-frequent users. Small but sticks all the same!



Mini - 7L

The Mini is a portable, and yet great for tight spaces. It contains more adhesive than an aerosol so you'll be more efficient with fewer changeovers.



Large - 22L

Our most popular adhesive container, the 22L canister is great for production where ultimate portability is required.



Intermediate - 108L

The 108L canister is portable, but geared toward use in larger-scale production environments.



Jumbo - 216L

The largest in our range, the 216L canister is suitable for the largest-scale production applications. Multi-user friendly.

THE TENSOR LABEL SYSTEM

Choosing the product that is right for the job should never have to be a hassle, so we at Tensor have developed a new labeling system to help make your choosing of the correct adhesive as quick and easy as possible! Our aerosol and canister labels have been color coded to fit specifically into the market of which they apply to most and now feature icons that help you define which applications the adhesive is best suited for.



SUBSTRATE IDENTIFICATION ICONS



Bender Board



Brick



Carbon Fiber Mat



Carpet Tile



Carpet



Concrete



Cork



Corner Bead



Drywall/
Plasterboard



Fabric



Fiberglass
Infusion



Foam



FRL



FRP/GRP



FRP Reefer
Liners



High-Gloss/
Def Laminate



Inlays



Insulation



Leather



LVT



MDF



Metal/
Aluminum
Sheeting



Mylar
Fiber Tape



Mylar
Tape



Plastics



Plywood



Polystyrene



Post-
Forming



PVC Pipe



Rubber/
Vinyl



Sailcloth



Seams



Standard
Laminate



Synthetic
Leather



Tedlar



Thick
Fabric



Thin
Fabric



Timber/
Wood



Underlayment



Urethane
Backing



Veneers



Vinyl



Wood
Buildups

PRODUCT PROPERTY ICONS



ZERO-FLAM
Technology



California
Compliant



CO-REZ
Technology



Class A Fire
Rated



Liquid
Resistant



Low Odor



Low VOC



HAPS
Free



Bead
Dispensing



Pebble
Spray



Snowflake
Spray



Web
Spray



Mist
Spray



OUR INDUSTRIAL ADHESIVE RANGE

PI20

Polyurethane Bead Adhesive

Tensorgrip® P120 is a 100% solids, polyurethane bead adhesive with excellent temperature and chemical resistance.

Advantages:

- Ultra-Fast application
- Single component; moisture cure
- Fast dry and quick tack
- Liquid-resistant
- Excellent high coverage
- Hazardous Air Pollutants free

Application Tools:

- Hoses: M130
- Application Gun: M160



TDS / SDS

Substrates:



Drywall/
Plasterboard



Plywood



Polystyrene

Properties:



Bead
Dispensing



California
Compliant



HAPs
Free



Low VOC



Low Odor



Heat
Resistance
up to
350F/176C

Available Sizes:



Large
22L

Available Colors:



Beige/
Brown

PI25

Polyurethane Foam Adhesive

Tensorgrip® P125 is a high solids, polyurethane bead adhesive with good temperature and chemical resistance.

Advantages:

- Single-component
- Moisture cure
- Quick and easy application
- Liquid-resistant
- Cost effective and time saving
- VOC free
- Quick handling time
- Ultra-fast application
- Repositionable
- Excellent high coverage
- Five minute open time
- Full strength achieved in 24 hours
- Fast dry and quick tack
- No ODS (Ozone Depleting Substances)
- No Hazardous Air Pollutants
- Qualifies for LEED®-NC & CI EQ Credit 4.4: laminating adhesives shall contain no urea formaldehyde resins

Application Tools:

- Hoses: M130
- Application Gun: M160




TDS / SDS

Substrates:



Polystyrene Plywood Drywall/
Plasterboard

Properties:



Available Sizes:



Large
22L

Available Colors:



White



OUR INDUSTRIAL ADHESIVE RANGE

P300

High Temp General Purpose Contact Adhesive

Tensorgrip® P300 is a standard non-flammable solvent contact adhesive with good temperature resistance. Designed to deliver a smooth and strong bond in nearly any application.

Advantages:

- Excellent green strength
- Fast dry, high tack, and long open time
- Excellent high coverage

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

Substrates:



Carpet



Foam



Insulation



Standard Laminate

Properties:



Web Spray



Heat Resistance up to 250F/122C

Available Sizes:



Jumbo 216L



Intermediate 108L



Large 22L



Aerosol 650ML (22 FL OZ)

Available Colors:



Clear



Green



Red - Aerosol Only

P302

Non-Flam High-Temp Contact Adhesive

Tensorgrip® P302 is alone in its class. Leading Zero-Flam Technology has allowed Tensorgrip® to develop a completely non-flammable adhesive with the best bonding properties on the market. **Tensorgrip® P302** is designed to be a versatile, safe and reliable adhesive. With superior strength, yet an ever-soft bondline, it's the perfect match for foam, insulation, laminate and more.

Advantages:

- Non-flammable
- VOC free
- Excellent high coverage
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast dry, high tack, and long open time

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS


Substrates:



Properties:



Available Sizes:



Available Colors:



Blue Clear



OUR INDUSTRIAL ADHESIVE RANGE

P305



TDS / SDS

Non-Flam Pressure Sensitive Adhesive

Tensorgrip® P305 is a powerful pressure sensitive adhesive, offering fast dry and high tack while still allowing repositionability and retaining lasting tackiness.

Advantages:


- 100% Non-flammable
- Most aggressive of our PSA line
- VOC free
- Fast dry, high tack, and long open time
- Repositionable
- Excellent green strength
- No ODS (Ozone Depleting Substances)

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: UniJet® 11001B




Substrates:



Properties:



Available Sizes:



Available Colors:



Blue Clear

P307

CA Compliant Low VOC Contact Adhesive

Tensorgrip® P307 is a multi-purpose contact adhesive that effectively bonds a vast range of substrates while maintaining compliance with stringent California VOC requirements (SCAQMD Rule 1168). Tensorgrip® P307 is aggressive and versatile, lending itself to bonding flexible and porous materials with ease.

Advantages:

- Excellent bonding to porous substrates
- Aggressive; adheres to nearly any surface
- High-strength, long-term bond
- Strong initial bond
- Low VOC California Compliant (SCAQMD Rule 1168)

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 6501



TDS / SDS

Substrates:




Foam Insulation Standard Laminate

Properties:



Web Spray California Compliant CO-REZ Technology Heat Resistance up to 200F/94C

Available Sizes:



Available Colors:



Red Clear



OUR INDUSTRIAL ADHESIVE RANGE

P308

High Tack CA Compliant Contact Adhesive

Tensorgrip® P308 is a multi-purpose contact adhesive that effectively bonds a vast range of substrates while maintaining compliance with stringent California VOC requirements (SCAQMD Rule 1168).

Advantages:

- High tack version of CA compliant contact adhesive
- High build is effective on porous or less smooth surfaces
- Aggressive High-Strength, Permanent Bond

Application Tools:

- Hoses: M130
- Application Guns: M120 or M125
- Recommended Tip: UniJet® 9501



TDS / SDS

Substrates:



Carpet



Fabric



FRP/GRP



Metal/
Aluminum
Sheetting



Plywood

Properties:



Web
Spray



California
Compliant



CO-REZ
Technology



Heat
Resistance
up to
250F/122C

Available Sizes:



Jumbo
216L



Intermediate
108L



Large
22L



Mini 7L

Available Colors:



Red



Clear

P309

Non-Flam Pressure Sensitive Adhesive

Tensorgrip® P309 is a powerful pressure sensitive adhesive, offering fast dry and high tack while still allowing repositionability and long lasting tack.

Advantages:

- 100% Non-flammable
- VOC free
- Wide spray is good for large production
- Fast dry, high tack, and long open time
- 80% of final strength achieved immediately
- Very aggressive PSA
- Repositionable
- No ODS (Ozone Depleting Substances)

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

Substrates:




Plywood Foam Insulation

Properties:



Available Sizes:



Available Colors:



Blue Clear



OUR INDUSTRIAL ADHESIVE RANGE

P310

Pressure Sensitive Spray Contact Adhesive

Tensorgrip® P310 is a high solids, pressure sensitive adhesive with fast dry, long tack and high peel strength, designed to bond to a vast range of substrates and maintain tackiness.

Advantages:

- Aggressive tack adhesive
- Fast coverage of large areas
- Long open assembly time
- Repositionable
- One or two sided application
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Bonds polyethylene and other films
- Resistant to high temperatures when applied two-sided

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 6501




TDS / SDS


Substrates:



Properties:



Available Sizes:



Available Colors:



P311

Non-Flam Pressure Sensitive Adhesive

Tensorgrip® P311 is a medium pressure-sensitive adhesive, offering fast dry and excellent repositionability. This adhesive is the answer for temporary or permanent bonds.

Advantages:

- Non-flammable
- Low VOC
- Aggressive tack adhesive
- Fast coverage of large areas
- Long open assembly time
- Repositionable
- One or two sided application
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Bonds polyethylene and other films
- Resistant to high temperatures when applied two-sided

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: UniJet® 400050



TDS / SDS

Substrates:




Foam Insulation Fabric

Properties:



Available Sizes:



Available Colors:



Blue Clear



OUR INDUSTRIAL ADHESIVE RANGE

P313



TDS / SDS

Low VOC Pebble Spray Contact Adhesive

Tensorgrip® P313 is a low VOC, contact adhesive; designed to deliver superior smoothness and allow post-forming while remaining within California VOC regulations. Formulated with CO-REZ Technology, which is exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

Advantages:

- Lower profile spray reduces telegraphing
- Fast drying
- Low VOC California Compliant (SCAQMD Rule 1168)
- No ODS (Ozone Depleting Substances)
- Hazardous Air Pollutants free
- 80% of final strength immediately

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 4001B




Substrates:



Properties:



Available Sizes:



Available Colors:



Clear

P321

Polystyrene Foam Contact Adhesive

Tensorgrip® P321, unlike most contact adhesives, is safe for polystyrene and still keeps the typical strength and characteristic of the Tensor brand. **Tensorgrip® P321** achieves an excellent bond to polystyrene as well many porous or difficult substrates.

Advantages:

- Bonds polystyrene to most substrates
- Will not attack polystyrene
- Very fast dry and long open time
- Excellent high coverage
- Moisture and weather resistant

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501



TDS / SDS

Substrates:



Polystyrene

Properties:



Web
Spray



Heat
Resistance up
to 200F/94C

Available Sizes:



Jumbo
216L



Intermediate
108L



Large
22L



Mini 7L



Aerosol
650ML
(22 FL OZ)

Available Colors:



Blue



Clear



Green-
Aerosols
Only



OUR INDUSTRIAL ADHESIVE RANGE

P322



TDS / SDS

Fast Dry Pressure Sensitive Adhesive

Tensorgrip® P322 is an aggressive and fast drying pressure sensitive adhesive designed to bond to a vast range of substrates and maintain tackiness.

Tensorgrip® P322 will not attack polystyrene. Perfect for bonding porous surfaces used for upholstery, geotextiles and more.

Advantages:

- Very fast drying
- Long lasting high tack (pressure sensitive)
- Moisture and weather-resistant bond
- Will not attack polystyrene
- Full strength achieved in 24 hours
- No ODS (ozone depleting substances)

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501




Substrates:




Polystyrene Foam Insulation Fabric

Properties:



Available Sizes:



Available Colors:



Clear Green

P323

Fast Dry Pressure Sensitive Adhesive

Tensorgrip® P323 is a high solids, very fast drying PSA with good temperature resistance.

Advantages:

- Aggressive; adheres to nearly any surface
- Repositionable
- Excellent high coverage
- Thick web spray
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast dry, high tack, and long open time
- Excellent green strength
- No ODS (Ozone Depleting Substances)
- OTC compliant

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 11001B




TDS / SDS

Substrates:



Polystyrene Plastics FRP/GRP Foam


Properties:



Web Spray

Heat Resistance up to 200F/94C

Available Sizes:



Jumbo
216L

Intermediate
108L

Large
22L

Available Colors:



Green Clear



OUR INDUSTRIAL ADHESIVE RANGE

P324

Fast Dry Pressure Sensitive Adhesive

Tensorgrip® P324 is a high solids, very fast drying PSA with good temperature resistance.

Advantages:

- Aggressive; adheres to nearly any surface
- Repositionable
- Excellent high coverage
- Thick web spray
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast dry, high tack, and long open time
- Excellent green strength
- No ODS (Ozone Depleting Substances)
- OTC compliant

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501




TDS / SDS

Substrates:



Polystyrene Fabric Plywood Foam

Properties:



Available Sizes:



Jumbo 216L Intermediate 108L Large 22L

Available Colors:



Green Clear

P329

CA Compliant Pressure Sensitive Adhesive

Tensorgrip® P329 is a very aggressive, high build pressure sensitive adhesive designed to bond porous substrates while maintaining a high level of tack. Low VOC California Compliant SCAQMD 1168 Rule. Useful for bonding for Foam, Insulation, Metals and Wood.

Advantages

- Very Aggressive, High Tack Adhesive
- High Build Web Spray
- Hazardous Air Pollutants free
- High Strength, long-term bond
- 100% Adhesive Transfer to Substrate
- Fully Portable
- No ODS (ozone depleting substances)
- California Compliant Low VOC SCAQMD Rule 1168

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: UniJet® 110015



TDS/SDS

Substrates:



Metal/
Aluminum
Sheetting



Foam



Fabric



Plywood



Corner
Bead

Properties:



Web
Spray



California
Compliant



CO-REZ
Technology



HAPs
Free



Heat
Resistance
up to
150F/94C

Available Sizes:



Jumbo
216L



Intermediate
108L



Large
22L



Mini 7L



Aerosol
650ML
(22 FL OZ)

Available Colors:



Red



Clear



OUR INDUSTRIAL ADHESIVE RANGE

P331

Edge Stiffener

Tensorgrip® P331 is a fast-drying edge stiffener for fiberglass board, with the speed of application and convenience of a canister delivery system.

Advantages:

- Fast drying solvent system allows faster processing times and quicker secondary finishing
- Compatible with most adhesives used for wrapping panels
- Non-flammable
- VOC free
- No moisture to create mold or mildew

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: UniJet® 400050



TDS / SDS

Substrates:



Insulation

Properties:



Web
Spray

Available Sizes:



Large
22L

Available Colors:



Clear

P390

Non-Flam Non-Mecl Contact Adhesive

Tensorgrip® P390 Canister is a completely non flammable, non methylene chloride canister adhesive. Multi purpose with excellent bond to unsanded melamine, difficult to bond foams such as memory foam and polyurethane foam and many other substrates.

Advantages:

- Fast drying solvent system allows faster processing times and quicker secondary finishing
- Compatible with most adhesives used for wrapping panels
- Non-flammable
- Hazardous Air Pollutants free
- Lowest VOC content of non-flam, non-methylene chloride adhesives

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tips: UniJet® 11001B or M201




TDS / SDS


Substrates:



Properties:



Available Sizes:



Available Colors:



Blue Clear



OUR INDUSTRIAL ADHESIVE RANGE

P415

Water Based Pressure Sensitive Adhesive

Tensorgrip® P415 is a high solids, acrylic based, pressure-sensitive adhesive with excellent temperature resistance with 2x coverage of standard pressure sensitive adhesive canisters.

Advantages:

- 100% Non-flammable
- Repositionable bond
- Excellent high coverage
- VOC free
- Hazardous Air Pollutants free
- Fast dry, high tack, long open time

Application Tools:

- Hoses: M130
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

Substrates:



Insulation FRP/GRP

Properties:



Snowflake Spray California ZERO-FLAM Low Odor
Spray Compliant Technology



HAPs Free Heat Resistance up to 300F/149C

Available Sizes:



Large
22L

Available Colors:



Clear /
White

P607

Fire Rated CA Compliant Contact Adhesive

Tensorgrip® P607 is a Class A Fire Rated multi-purpose contact adhesive that effectively bonds a vast range of substrates while maintaining compliance with stringent California VOC requirements (SCAQMD Rule 1168). Formulated with CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight. Fire rated testing includes ASTM E1354 test method for heat and visible smoke release complying with FMVSS 302 Standards

Advantages:

- Class A Fire Rated
- Good heat resistance
- High strength, long term bond
- Low VOC California Compliant
- Versatile adhesive that bonds to nearly any surface
- Fully portable system
- 100% Adhesive transfer to substrate

Application Tools:

- Hoses: M30
- Application Gun: M120
- Recommended Tip: UniJet® 6501B



TDS / SDS

Substrates:



Foam



Plywood



FRP/GRP



Metal/
Aluminum
Sheeting

Properties:



Web
Spray



California
Compliant



CO-REZ®
Technology
(Canister
only)



Class A Fire
Rated



Heat
Resistance
up to
200F/94C

Available Sizes:



Jumbo
216L



Intermediate
108L



Large
22L



Mini 7L



Aerosol
650ML
(22 FL OZ)

Available Colors:



Clear



Red



OUR INDUSTRIAL ADHESIVE RANGE

P809

CA Compliant Crosslinking Contact Adhesive

Tensorgrip® P809 is a revolutionary high performance, plasticizer resistant adhesive, specially formulated for bonding vinyl, rubber and plastics. Works well on decorative surfaces subject to plasticizer migration as well as many other surfaces including standard laminate and aluminum. Like epoxy, chemically reacts to create permanent bond.

Advantages:

- Bonds vinyl permanently
- Excellent plasticizer resistance
- Strong, permanent bonds
- High output for fast application
- Resists weathering, water, fuel, oil and many other plasticizers
- Bonds to damp surfaces (moisture cure)
- Semi-repositionable

Application Tools:

- Hoses: M180
- Application Gun: M120
- Recommended Tip: UniJet® 11001B



TDS / SDS

Substrates:



Vinyl



Standard Laminate



FRP/GRP



Metal/
Aluminum
Sheeting

Properties:



Web
Spray



California
Compliant



Heat
Resistance
up to
450F/232C

Available Sizes:



Large
22L




Mini 7L

Available Colors:



Clear



CLEANERS



S101

Citrus-Based Specialty Adhesive Cleaner

Tensorgrip® S101 is the king of cleaners. Unlike most solvent cleaners, S101 is safe for most surfaces, yet powerful enough to remove adhesives and other tough substances. Tensorgrip® S101 is packaged in aerosol cans and pressurized canisters to eliminate the mess and worry of liquid solvents and for ease of purging canister adhesive application equipment (guns and hoses).

Advantages:


- Cleans hoses, spray guns and other adhesive equipment
- Exceptional cleaning/degreasing power
- Pleasant citrus scent
- Safer than most comparable cleaners
- Compatible with most plastics

Application Tools:

- Hoses: M130 or M180
- Application Gun: M120 or M125
- Recommended Tip: M201



TDS / SDS



Properties:



Mist Spray

Available Sizes:



Large
22L



Mini 7L



Aerosol
650ML
(22 FL OZ)



OUR INDUSTRIAL ADHESIVE RANGE

S104

Adhesive Cleaner & Remover

Tensorgrip® S104 is an adhesive cleaner and remover designed to safely and powerfully remove adhesives and other tough substances.

Advantages:

- Exceptional cleaning and degreasing power
- Non-corrosive
- Compatible for most plastics
- Cleans hoses, spray guns, and other adhesive equipment
- Decal adhesive residue removal

Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: M201



Properties:



Mist
Spray

Available Sizes:



Large
22L



Mini 7L



Aerosol
650ML
(22 FL OZ)



TDS / SDS



S105

Acetone Cleaner

Tensorgrip® S105 is an acetone-based cleaner designed for cleaning out hoses and guns used for polyurethane canisters. Works well for cleaning uncured/wet polyurethane adhesive.

Advantages:

- Effective as gun & hose clean-out
- Low Odor
- Low VOC
- Hazardous Air Pollutants free
- Fully portable system
- Safe to use on most materials



Properties:



Mist
Spray



HAPs
Free



Low Odor



Low VOC

Available Sizes:



Large
22L



Mini 7L



TDS / SDS



OUR INDUSTRIAL ADHESIVE RANGE


S800

Tip Cleaner for Cross-Linking Contact Equipment

Tensorgrip® S800 is a powerful, unique tip cleaner developed specifically for care of gun tips used with Tensorgrip® cross-linking contact adhesives. This cleaner effortlessly eliminates adhesive blockage from gun tips without creating an unnecessary mess or affecting moisture cure adhesives negatively.

Advantages:

- Safe & Effective
- Fast cleaning of tips
- Assists in smooth, uninterrupted spray of Tensorgrip® cross-linking contact adhesives
- No mess
- No HAPs



Properties:



Mist
Spray


Available Sizes:



Aerosol
650ML
(22 FL OZ)



TDS/SDS



TOOLS

MI20

Adjustable Spray Gun

Heavy duty, built to last through steady industrial use. This is your go-to spray gun, compatible with all of our spray tips and suitable for every industry.



MI25

Wand Spray Gun

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Suitable for most web spray products. Best for applications where bending over or reaching is required.





OUR INDUSTRIAL ADHESIVE RANGE

MI30

Flexible Rubber Hose

The standard rubber coated hose is designed for use in heavy industrial situations. Maintains excellent flexibility and durability even through rigorous daily use.

Available Lengths:

- 6'
- 12'
- 18'
- 25'
- 36'
- 50'



MI80

White Flexible Hose

The M180 white flexible hose is designed specifically for our exclusive range of Zero-Flam technology products.

Available Lengths:

- 8'
- 12'
- 18'
- 25'





M160-8

8" Wand Foam Adhesive Gun

The M160-8 Wand Foam Adhesive Gun Bottom Feed features an eight-inch wand. This bead gun is one of a kind with its unique airtight spray tip, allowing it to be reused.



M160-450

17.75" Wand Foam Adhesive Gun

The M160-450 Wand Foam Adhesive Gun Bottom Feed features a Professional Long Wand extension for added comfort and ease of use. This bead gun is one of a kind with its unique airtight spray tip, allowing it to be reused.






OUR INDUSTRIAL ADHESIVE RANGE

M300

Two Way Splitter

Now you can use two spray guns off of one canister! For use with 108 liter and 216 liter canisters.



SPRAY TIPS

The recommended spray tip is engineered to be suited to your application and is included with every canister. For optimal performance, change out the spray tip regularly.



Available Types:

- M201 Ultimate Anti-Bearding Brass Spray Tip, Low Flow
- 6501B UniJet® Brass Spray Tip, Wide Adjust. Spray, Regular Flow
- 9501B UniJet® Brass Spray Tip, Wider Adjust. Spray, Regular Flow
- 11001B UniJet® Brass Spray Tip, Extra Wide Adjust. Spray, Regular Flow
- 11002B UniJet® Brass Spray Tip, Extra Wide Adjust. Spray, High Flow
- 110015B UniJet® Brass Spray Tip, Extra Wide Adjust Spray, High Flow
- 1100050B UniJet® Brass Spray Tip, Wide Adjust. Spray, Low Flow
- P-Tip UniJet® Brass Spray Tip, Wide Adjust. Spray, Regular Flow
- Q-TIP UniJet® Brass Spray Tip, Wide Adjust. Spray, High Flow



M510-22

Canister Trolley System

The ideal solution for shop and large field jobs where portability is of the essence. The trolley allows a seamless spray application and easy transport of the 22L canister.



TOOLKIT-12

This TOOLKIT-12 is great for any spray adhesive user, beginner or advanced.

Includes:

- M180-12 hose
- M120 spray gun
- Multi-purpose wrench



Need more information? Have questions? Get in touch with our adhesive enthusiasts today. We're waiting for you to contact us!

CALL:

+1 402 731 3636

E-MAIL:

info.us@quin-global.com

VISIT:

www.tensorglobal.com

www.qinglobal.com

QUIN GLOBAL US, INC.

5510 F Street

Omaha, NE 68117

USA



QUIN GLOBAL US, INC.
5510 F Street
Omaha, NE 68117
USA

www.tensorglobal.com
www.quinglobal.com
info.us@quin-global.com
+1 402 731 3636

QUIN
GLOBAL

