SIOI CITRUS-BASED SPECIALTY ADHESIVE CLEANER

DATA SHEET Tensor



As part of our Cleaners range, S101 is suitable for use on most surfaces.

PRODUCT DESCRIPTION

TensorGrip S101 is a bio-safe citrus solvent/cleaner, degreaser and adhesive remover designed to safely and powerfully remove adhesives and other tough substances. Available in small canisters for purging adhesive spray equipment.

ADVANTAGES

- Exceptional cleaning/degreasing power
- Non-corrosive
- Pleasant citrus scent
- Compatible with most plastics
- Biodegradable

- Cleans hoses, spray guns and other adhesive equipment
- Decal residue removal safe for powder-coated surfaces
- Safer to use than most cleaners/adhesive removers

DIRECTIONS FOR USE

- **TensorGrip S101** can be sprayed on and wiped off. Wash off any remaining residue with water.
- This Specialty Citrus Cleaner can be safely used on most surfaces, including painted surfaces, glass, porcelain, concrete, and many plastics and vinyls.
- To clean adhesive application hoses and guns, attach the hose and gun to a canister of TensorGrip S101 and flush until clear (about 45 seconds).
- An 8lb canister will work for approximately 8 purges; 22L size works for approximately 28 purges.
- The product will not be damaged by freezing. Warm up to room temperature for use.

QUIN GLOBAL US

5710 F ST, Omaha NE 68117 PH: +1 402 731 3636 | info.us@quin-global.com | www.quinglobal.com



Tensorgrip

SIOI CITRUS-BASED SPECIALTY ADHESIVE CLEANER

DATA SHEET

CHEMICAL TECHNICAL DATA

TYPICAL PROPERTIES

- Total Solids
- VOC Content
- Color
- System Flammability
- Solvent System
- Dry time
- Open time
- Shelf Life

PACKAGING

- 650ml
- 7L
- 22L

0% 747 g/L Clear Combustible liquid; Non-Flammable propellant (22L canisters) Flammable propellant (Aerosols & 7L Canisters) D-Limonene, Mineral Spirits 1-3 mins dependent on temp & humidity N/A 18 months from date of manufacture

Aerosol Cans Disposable Canister Disposable Canister

STORAGE

HANDLING & STORAGE

- Consult Material Safety Data Sheet prior to use.
- Do not store at temperatures over 120°F/50°C.
- Avoid exposure to direct sunlight.
- Do not store directly on concrete floor.
- Always store above 60°F/15°C
- When connected, keep valve open and hose pressurized at all times
- Always test our adhesives to determine suitability for your particular application prior to use in production

DISCLAIMER OF WARRANTY: Quin Global makes neither warranty of merchantability or fitness for any use nor any other warranty, express or implied, in the sales of its products. Buyer assumes all risk and liability for the results obtained by the use of its products, whether used singly or in combination with other products.

QUIN GLOBAL US





Tensorgrip

SAFETY DATA SHEET Tensorgrip S101 22L Citrus-Based Specialty Adhesive Cleaner

1. Identification	
Product identifier	
Product name	Tensorgrip S101 22L Citrus Cleaner/Adhesive Remover
Product number	USA
Recommended use of the che	mical and restrictions on use
Application	Cleaning Solvent
Details of the supplier of the sa	afety data sheet
Supplier	Quin Global 5710 F St (402) 731 3636 (402) 731 1473 marketing.us@quin-global.com
Emergency telephone number	
Emergency telephone	Chemtrec: 1 800 424 9300 (Mon - Fri) 09:00 - 16:00
2. Hazard(s) identification	
Classification of the substance or mixture	
Physical hazards	Press. Gas, Compressed - H280
Health hazards	Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Skin Sens. 1 - H317
Environmental hazards	Not Classified
Human health	The liquid may be irritating to eyes, respiratory system and skin. Symptoms following overexposure may include the following: Headache. Dizziness. Nausea, vomiting.
Label elements	
Pictogram	
$\langle \diamond \rangle \langle \diamond \rangle$	
Signal word	Warning
Hazard statements	H280 Contains gas under pressure; may explode if heated. H302+H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

60-100%

10-30%

Tensorgrip S101 22L Citrus-Based Specialty Adhesive Cleaner

Precautionary statements	 P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P273 Avoid release to the environment. P301+P310 If swallowed: Immediately call a poison center/doctor. P302+P352 If on skin: Wash with plenty of water. P312 Call a poison center/doctor if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
Contains	d-Limonene, Odorless Mineral Spirits

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Substances

d-Limonene

Mixtures

CAS number: 94266-47-4

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Skin Sens. 1 - H317

Odorless Mineral Spirits

CAS number: 64742-47-8

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures	
Description of first aid measures	
General information	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention.

Tensorgrip S101 22L Citrus-Based Specialty Adhesive Cleaner

Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Only remove contact lenses if the person is conscious, coherent and they can remove them themselves If adhesive bonding occurs, do not force eyelids apart. Continue to rinse for at least 15 minutes. If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Most important symptoms and	effects, both acute and delayed
Inhalation	May cause coughing and difficulties in breathing. May cause eye and respiratory system irritation. Overexposure may depress the central nervous system, causing dizziness and intoxication.
Ingestion	Aspiration hazard if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause severe irritation of the mouth, the esophagus and the gastrointestinal tract. May Cause the following effects: Gastrointestinal symptoms, including upset stomach. Central nervous system depression. Nausea, vomiting. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	May be absorbed through the skin. Product has a defatting effect on skin. The product is irritating to eyes and skin. A single exposure may cause the following adverse effects: Dryness and/or cracking.
Eye contact	Causes serious eye irritation. Burns can occur. A single exposure may cause the following adverse effects: Pain. Conjunctivitis, irritation, tearing. Prolonged or repeated exposure may cause the following adverse effects: Irritation of eyes and mucous membranes. Prolonged contact causes serious eye and tissue damage.
5.Fire-fighting measures	
Special hazards arising from the	ne substance or mixture
Specific hazards	Pressurized container: Must not be exposed to temperatures above 50°C/120°F Containers can burst violently or explode when heated, due to excessive pressure build-up.
Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
6. Accidental release measure	\$
Personal precautions, protective	ve equipment and emergency procedures
Personal precautions	For personal protection, see Section 8.
Environmental precautions	
Environmental precautions	Avoid discharge into drains. Contain spillage with sand, earth or other suitable non- combustible material.
Methods and material for containment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Provide adequate ventilation. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
7. Handling and storage	

Precautions for safe handling

Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. Container must be kept tightly closed when not in use.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product.
Conditions for safe storage, inc	luding any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Keep container tightly closed. Keep only in the original container. Pressurized container: Must not be exposed to temperatures above 50°C/120°F

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

d-Limonene

Long-term exposure limit (8-hour TWA): WEEL:US.AIHA = Workplace Environmental Exposure Level Guides 30 ppm

Odorless Mineral Spirits

Long-term exposure limit (8-hour TWA): ACGIH 200 mg/m³ Long-term exposure limit (8-hour TWA): OSHA 500 ppm 2000 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

Exposure controls

Protective equipment

nlh

Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation. Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear chemical splash goggles.
Hand protection	Use protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.
Hygiene measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If exposure levels are likely to be exceeded, use a full face mask fitted with an organic AXP3 filter for short term low level exposures. For long term or high level exposures, compressed airline breathing apparatus should be used.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Aerosol.
Color	Clear.
Odor	Strong. Solvent.

Letter Lie all a second and a second	
Initial boiling point and range	Not determined.
Flash point	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	.8295
Solubility(ies)	Negligibly soluble in water
Volatile organic compound	This product contains a maximum VOC content of 747 g/l.
10. Stability and reactivity	
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Oxidizing agents. Reducing agents.
Materials to avoid	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Ketones Aldehydes. Hydrocarbons.
11. Toxicological information	
Information on toxicological eff	iects
Acute toxicity - oral	
ATE oral (mg/kg)	555.5555556
Acute toxicity - dermal ATE dermal (mg/kg)	1,222.22222222
ATE dermal (mg/kg) Acute toxicity - inhalation	
ATE dermal (mg/kg)	
ATE dermal (mg/kg) Acute toxicity - inhalation	
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l) Carcinogenicity	61.1111111
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l) Carcinogenicity Carcinogenicity	61.1111111
ATE dermal (mg/kg) <u>Acute toxicity - inhalation</u> ATE inhalation (vapours mg/l) <u>Carcinogenicity</u> Carcinogenicity 12. Ecological Information	61.1111111
ATE dermal (mg/kg) <u>Acute toxicity - inhalation</u> ATE inhalation (vapours mg/l) <u>Carcinogenicity</u> Carcinogenicity 12. Ecological Information 13. Disposal considerations	61.1111111
ATE dermal (mg/kg)Acute toxicity - inhalationATE inhalation (vapours mg/l)CarcinogenicityCarcinogenicity12. Ecological Information13. Disposal considerationsWaste treatment methods	61.1111111 No information available. Dispose of waste to licensed waste disposal site in accordance with the requirements of the
ATE dermal (mg/kg) <u>Acute toxicity - inhalation</u> ATE inhalation (vapours mg/l) <u>Carcinogenicity</u> Carcinogenicity 12. Ecological Information 13. Disposal considerations Waste treatment methods Disposal methods	61.1111111 No information available. Dispose of waste to licensed waste disposal site in accordance with the requirements of the

UN No. (DOT)	3500
UN No. (ICAO)	3500
UN proper shipping name	
Proper shipping name (DOT)	3500 - Chemical Under Pressure, N.O.S. (d-Limonene, OMS)
Proper shipping name (IMDG)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.
Proper shipping name (ICAO)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.
Transport hazard class(es)	
DOT hazard class	2.2
Transport labels	
Packing group	
Not applicable.	
15. Regulatory information	
Inventories US - TSCA	
Present.	
d-Limonene	

16. Other information	
Revision date	6/23/2015
Revision	3
Supersedes date	6/10/2015
SDS No.	20639
Hazard statements in full	 H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness.
ACA HMIS Health rating.	Slight hazard. (1)
ACA HMIS Physical hazard rating.	Normally stable. (0)
ACA HMIS Personal protection rating.	В
ACA HMIS Flammability rating.	Will not burn. (0)

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, many of which are solely within the user's knowledge and control, the user is responsible for determining whether the manufacturer of this product is fit for a particular purpose and suitable for users' method of use or application. It is essential that the user evaluate this product, not the manufacturer, to determine whether it is fit for a particular purpose and suitable for users' method of use or application.